

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits**

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FOW	CAISO	CAISO.DLAP_PGAE-APND_month_on_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	On Peak	25	3261	3261	39132	78
FOX	CAISO	CAISO.DLAP_PGAE-APND_month_off_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2705	2705	32460	77
FOY	CAISO	CAISO.DLAP_SCE-APND_month_on_dap	DLAP_SCE-APND	Zone	Day Ahead Power	On Peak	25	3303	3303	39636	80
FOZ	CAISO	CAISO.DLAP_SCE-APND_month_off_dap	DLAP_SCE-APND	Zone	Day Ahead Power	Off Peak	25	2629	2629	31548	79
FPA	CAISO	CAISO.DLAP_SDGE-APND_month_on_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8028	82
FPB	CAISO	CAISO.DLAP_SDGE-APND_month_off_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6180	81
FQA	CAISO	CAISO.PALOVVRDE_ASR-APND_month_on_dap	PALOVVRDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9984	181
FQB	CAISO	CAISO.PALOVVRDE_ASR-APND_month_off_dap	PALOVVRDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9984	180
FQU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	On Peak	25	4707	4707	56484	215
FQV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	Off Peak	25	3961	3961	47532	214
FQW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6934	6934	83208	217
FQX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6070	6070	72840	216
FQY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7056	219
FQZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5940	218
HKU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4707	4707	56484	215
HKV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3961	3961	47532	214
HKW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6934	6934	83208	217
HKX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6070	6070	72840	216
HKY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7056	219
HKZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5940	218
HLA	CAISO	CAISO.DLAP_PGAE-APND_month_on_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3261	3261	39132	78
HLB	CAISO	CAISO.DLAP_PGAE-APND_month_off_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2705	2705	32460	77
HLC	CAISO	CAISO.DLAP_SCE-APND_month_on_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3303	3303	39636	80
HLD	CAISO	CAISO.DLAP_SCE-APND_month_off_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2629	2629	31548	79
HLE	CAISO	CAISO.DLAP_SDGE-APND_month_on_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8028	82
HLF	CAISO	CAISO.DLAP_SDGE-APND_month_off_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6180	81
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HLI	CAISO	CAISO.DEVERS_2_B2_month_on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8904	
HLJ	CAISO	CAISO.DEVERS_2_B2_month_off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8904	
HLK	CAISO	CAISO.FOURCORN_5_N501_month_on_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	On Peak	25	411	411	4932	
HLL	CAISO	CAISO.FOURCORN_5_N501_month_off_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	Off Peak	25	411	411	4932	
HLM	CAISO	CAISO.IMPRLVLY_2_B2_month_on_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10884	
HLN	CAISO	CAISO.IMPRLVLY_2_B2_month_off_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10884	
HLO	CAISO	CAISO.INTERM1G_7_N501_month_on_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2184	
HLP	CAISO	CAISO.INTERM1G_7_N501_month_off_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2184	
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9204	
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9204	
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1812	
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1812	
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5580	
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5580	
HLY	CAISO	CAISO.MIDWAY_5_B1_month_on_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	On Peak	25	2268	2268	27216	
HLZ	CAISO	CAISO.MIDWAY_5_B1_month_off_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	Off Peak	25	2268	2268	27216	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
HMA	CAISO	CAISO.MISSION_2_N035_month_on_dac	MISSION_2_N035	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HMB	CAISO	CAISO.MISSION_2_N035_month_off_dac	MISSION_2_N035	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	
HMC	CAISO	CAISO.MISSON_1_N015_month_on_dac	MISSON_1_N015	Generator	DA Cong. + Energy	On Peak	25	1	1	12	
HMD	CAISO	CAISO.MISSON_1_N015_month_off_dac	MISSON_1_N015	Generator	DA Cong. + Energy	Off Peak	25	1	1	12	
HME	CAISO	CAISO.MOENKOPI_5_N101_month_on_dac	MOENKOPI_5_N101	Interface	DA Cong. + Energy	On Peak	25	353	353	4236	
HMF	CAISO	CAISO.MOENKOPI_5_N101_month_off_dac	MOENKOPI_5_N101	Interface	DA Cong. + Energy	Off Peak	25	353	353	4236	
HMG	CAISO	CAISO.MONA_3_N501_month_on_dac	MONA_3_N501	Interface	DA Cong. + Energy	On Peak	25	76	76	912	
HMH	CAISO	CAISO.MONA_3_N501_month_off_dac	MONA_3_N501	Interface	DA Cong. + Energy	Off Peak	25	76	76	912	
HMI	CAISO	CAISO.POD_MOSSLD_2_PSP2-APND_month_on_dac	POD_MOSSLD_2_PSP2-APND	Generator	DA Cong. + Energy	On Peak	25	633	633	7596	
HMJ	CAISO	CAISO.POD_MOSSLD_2_PSP2-APND_month_off_dac	POD_MOSSLD_2_PSP2-APND	Generator	DA Cong. + Energy	Off Peak	25	633	633	7596	
HMK	CAISO	CAISO.PALOVRDE_ASR-APND_month_on_dac	PALOVRDE_ASR-APND	Interface	DA Cong. + Energy	On Peak	25	832	832	9984	181
HML	CAISO	CAISO.PALOVRDE_ASR-APND_month_off_dac	PALOVRDE_ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	832	832	9984	180
HMM	CAISO	CAISO.POD_DIABLO_7_UNIT 2-APND_month_on_dac	POD_DIABLO_7_UNIT 2-APND	Generator	DA Cong. + Energy	On Peak	25	560	560	6720	
HMN	CAISO	CAISO.POD_DIABLO_7_UNIT 2-APND_month_off_dac	POD_DIABLO_7_UNIT 2-APND	Generator	DA Cong. + Energy	Off Peak	25	560	560	6720	
HMQ	CAISO	CAISO.ROA-230_2_N101_month_on_dac	ROA-230_2_N101	Interface	DA Cong. + Energy	On Peak	25	200	200	2400	201
HMR	CAISO	CAISO.ROA-230_2_N101_month_off_dac	ROA-230_2_N101	Interface	DA Cong. + Energy	Off Peak	25	200	200	2400	200
HMS	CAISO	CAISO.SLAP_PGHB-APND_month_on_dac	SLAP_PGHB-APND	Subzone	DA Cong. + Energy	On Peak	25	32	32	384	78
HMT	CAISO	CAISO.SLAP_PGHB-APND_month_off_dac	SLAP_PGHB-APND	Subzone	DA Cong. + Energy	Off Peak	25	27	27	324	77
HMU	CAISO	CAISO.SLVRPS2_7_N001_month_on_dac	SLVRPS2_7_N001	Interface	DA Cong. + Energy	On Peak	25	4	4	48	
HMV	CAISO	CAISO.SLVRPS2_7_N001_month_off_dac	SLVRPS2_7_N001	Interface	DA Cong. + Energy	Off Peak	25	4	4	48	
HMW	CAISO	CAISO.SMDA_ASR-APND_month_on_dac	SMDA_ASR-APND	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HMX	CAISO	CAISO.SMDA_ASR-APND_month_off_dac	SMDA_ASR-APND	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HMY	CAISO	CAISO.SONOFR2_7_B1_month_on_dac	SONOFR2_7_B1	Generator	DA Cong. + Energy	On Peak	25	562	562	6744	
HMZ	CAISO	CAISO.SONOFR2_7_B1_month_off_dac	SONOFR2_7_B1	Generator	DA Cong. + Energy	Off Peak	25	562	562	6744	
HNA	CAISO	CAISO.SYLMARDC_2_N501_month_on_dac	SYLMARDC_2_N501	Interface	DA Cong. + Energy	On Peak	25	305	305	3660	
HNB	CAISO	CAISO.SYLMARDC_2_N501_month_off_dac	SYLMARDC_2_N501	Interface	DA Cong. + Energy	Off Peak	25	305	305	3660	
HNC	CAISO	CAISO.SYLMARS_2_B1_month_on_dac	SYLMARS_2_B1	Interface	DA Cong. + Energy	On Peak	25	775	775	9300	
HND	CAISO	CAISO.SYLMARS_2_B1_month_off_dac	SYLMARS_2_B1	Interface	DA Cong. + Energy	Off Peak	25	775	775	9300	
HNE	CAISO	CAISO.TJI-230_2_N101_month_on_dac	TJI-230_2_N101	Interface	DA Cong. + Energy	On Peak	25	200	200	2400	201
HNF	CAISO	CAISO.TJI-230_2_N101_month_off_dac	TJI-230_2_N101	Interface	DA Cong. + Energy	Off Peak	25	200	200	2400	200
HNG	CAISO	CAISO.VICTORVL_5_N101_month_on_dac	VICTORVL_5_N101	Interface	DA Cong. + Energy	On Peak	25	600	600	7200	
HNH	CAISO	CAISO.VICTORVL_5_N101_month_off_dac	VICTORVL_5_N101	Interface	DA Cong. + Energy	Off Peak	25	600	600	7200	
HNI	CAISO	CAISO.VINCENT_5_B2_month_on_dac	VINCENT_5_B2	Interface	DA Cong. + Energy	On Peak	25	1649	1649	19788	
HNJ	CAISO	CAISO.VINCENT_5_B2_month_off_dac	VINCENT_5_B2	Interface	DA Cong. + Energy	Off Peak	25	1649	1649	19788	
HNK	CAISO	CAISO.WESTWING_5_N501_month_on_dac	WESTWING_5_N501	Interface	DA Cong. + Energy	On Peak	25	45	45	540	
HNL	CAISO	CAISO.WESTWING_5_N501_month_off_dac	WESTWING_5_N501	Interface	DA Cong. + Energy	Off Peak	25	45	45	540	
HNO	CAISO	CAISO.MCCULLGH_5_N101_month_on_dac	MCCULLGH_5_N101	Interface	DA Cong. + Energy	On Peak	25	650	650	7800	
HNP	CAISO	CAISO.MCCULLGH_5_N101_month_off_dac	MCCULLGH_5_N101	Interface	DA Cong. + Energy	Off Peak	25	650	650	7800	
HNS	CAISO	CAISO.VALLEYSC_1_N013_month_on_dac	VALLEYSC_1_N013	Generator	DA Cong. + Energy	On Peak	25	1	1	12	
HNT	CAISO	CAISO.VALLEYSC_1_N013_month_off_dac	VALLEYSC_1_N013	Generator	DA Cong. + Energy	Off Peak	25	1	1	12	
HNW	CAISO	CAISO.MCSWAIN_6_N001_month_on_dac	MCSWAIN_6_N001	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HNX	CAISO	CAISO.MCSWAIN_6_N001_month_off_dac	MCSWAIN_6_N001	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	
HOE	CAISO	CAISO.CAPTJACK_5_N512_month_on_dac	CAPTJACK_5_N512	Interface	DA Cong. + Energy	On Peak	25	8	8	96	53
HOF	CAISO	CAISO.CAPTJACK_5_N512_month_off_dac	CAPTJACK_5_N512	Interface	DA Cong. + Energy	Off Peak	25	8	8	96	52
HOI	CAISO	CAISO.POD_EXCHEC_7_UNIT 1-APND_month_on_dac	POD_EXCHEC_7_UNIT 1-APND	Generator	DA Cong. + Energy	On Peak	25	18	18	216	