

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FOW	CAISO	CAISO.DLAP_PGAE-APND_month_on_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	On Peak	25	3261	3261	39132	78
FOX	CAISO	CAISO.DLAP_PGAE-APND_month_off_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2705	2705	32460	77
FOY	CAISO	CAISO.DLAP_SCE-APND_month_on_dap	DLAP_SCE-APND	Zone	Day Ahead Power	On Peak	25	3303	3303	39636	80
FOZ	CAISO	CAISO.DLAP_SCE-APND_month_off_dap	DLAP_SCE-APND	Zone	Day Ahead Power	Off Peak	25	2629	2629	31548	79
FPA	CAISO	CAISO.DLAP_SDGE-APND_month_on_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8028	82
FPB	CAISO	CAISO.DLAP_SDGE-APND_month_off_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6180	81
FQA	CAISO	CAISO.PALOVNRDE_ASR-APND_month_on_dap	PALOVNRDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9984	181
FQB	CAISO	CAISO.PALOVNRDE_ASR-APND_month_off_dap	PALOVNRDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9984	180
FQU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	On Peak	25	4707	4707	56484	215
FQV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	Off Peak	25	3961	3961	47532	214
FQW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6934	6934	83208	217
FQX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6070	6070	72840	216
FQY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7056	219
FQZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5940	218
HKU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4707	4707	56484	215
HKV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3961	3961	47532	214
HKW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6934	6934	83208	217
HKX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6070	6070	72840	216
HKY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7056	219
HKZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5940	218
HLA	CAISO	CAISO.DLAP_PGAE-APND_month_on_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3261	3261	39132	78
HLB	CAISO	CAISO.DLAP_PGAE-APND_month_off_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2705	2705	32460	77
HLC	CAISO	CAISO.DLAP_SCE-APND_month_on_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3303	3303	39636	80
HLD	CAISO	CAISO.DLAP_SCE-APND_month_off_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2629	2629	31548	79
HLE	CAISO	CAISO.DLAP_SDGE-APND_month_on_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8028	82
HLF	CAISO	CAISO.DLAP_SDGE-APND_month_off_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6180	81
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HLI	CAISO	CAISO.DEVERS_2_B2_month_on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8904	
HLJ	CAISO	CAISO.DEVERS_2_B2_month_off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8904	
HLK	CAISO	CAISO.FOURCORN_5_N501_month_on_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	On Peak	25	411	411	4932	
HLL	CAISO	CAISO.FOURCORN_5_N501_month_off_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	Off Peak	25	411	411	4932	
HLM	CAISO	CAISO.IMPRLVLY_2_B2_month_on_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10884	
HLN	CAISO	CAISO.IMPRLVLY_2_B2_month_off_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10884	
HLO	CAISO	CAISO.INTERM1G_7_N501_month_on_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2184	
HLP	CAISO	CAISO.INTERM1G_7_N501_month_off_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2184	
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9204	
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9204	
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1812	
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1812	
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5580	
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5580	
HLY	CAISO	CAISO.MIDWAY_5_B1_month_on_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	On Peak	25	2268	2268	27216	
HLZ	CAISO	CAISO.MIDWAY_5_B1_month_off_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	Off Peak	25	2268	2268	27216	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
GSA	MISO_RT O	MISO_RTO.EEI_month_on_dac	EEI	Interface	DA Cong. + Energy	On Peak	25	278	278	3336	
GSB	MISO_RT O	MISO_RTO.EEI_month_off_dac	EEI	Interface	DA Cong. + Energy	Off Peak	25	278	278	3336	
GSE	MISO_RT O	MISO_RTO.SOCO_month_on_dac	SOCO	Interface	DA Cong. + Energy	On Peak	25	66	66	792	
GSF	MISO_RT O	MISO_RTO.SOCO_month_off_dac	SOCO	Interface	DA Cong. + Energy	Off Peak	25	66	66	792	
GSG	MISO_RT O	MISO_RTO.AMIL.HENNEPN81_month_on_dac	AMIL.HENNEPN81	Generator	DA Cong. + Energy	On Peak	25	73	73	876	
GSH	MISO_RT O	MISO_RTO.AMIL.HENNEPN81_month_off_dac	AMIL.HENNEPN81	Generator	DA Cong. + Energy	Off Peak	25	73	73	876	
GSI	MISO_RT O	MISO_RTO.AMIL.WOODRW85_month_on_dac	AMIL.WOODRW85	Generator	DA Cong. + Energy	On Peak	25	89	89	1068	
GSJ	MISO_RT O	MISO_RTO.AMIL.WOODRW85_month_off_dac	AMIL.WOODRW85	Generator	DA Cong. + Energy	Off Peak	25	89	89	1068	
GSK	MISO_RT O	MISO_RTO.ALTW.LOSTLAKES_month_on_dac	ALTW.LOSTLAKES	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
GSL	MISO_RT O	MISO_RTO.ALTW.LOSTLAKES_month_off_dac	ALTW.LOSTLAKES	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	
GSM	MISO_RT O	MISO_RTO.AMIL.RSPWIND_month_on_dac	AMIL.RSPWIND	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
GSN	MISO_RT O	MISO_RTO.AMIL.RSPWIND_month_off_dac	AMIL.RSPWIND	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	
GUY	MISO_RT O	MISO_RTO.DECO.MONROE1_month_on_dac	DECO.MONROE1	Generator	DA Cong. + Energy	On Peak	25	780	780	9360	
GUZ	MISO_RT O	MISO_RTO.DECO.MONROE1_month_off_dac	DECO.MONROE1	Generator	DA Cong. + Energy	Off Peak	25	780	780	9360	
GVA	MISO_RT O	MISO_RTO.NIPS.BAILLP7_month_on_dac	NIPS.BAILLP7	Generator	DA Cong. + Energy	On Peak	25	128	128	1536	
GVB	MISO_RT O	MISO_RTO.NIPS.BAILLP7_month_off_dac	NIPS.BAILLP7	Generator	DA Cong. + Energy	Off Peak	25	128	128	1536	
GVC	MISO_RT O	MISO_RTO.NIPS.BENTONCO_month_on_dac	NIPS.BENTONCO	Subzone	DA Cong. + Energy	On Peak	25	516	516	6192	171
GVD	MISO_RT O	MISO_RTO.NIPS.BENTONCO_month_off_dac	NIPS.BENTONCO	Subzone	DA Cong. + Energy	Off Peak	25	426	426	5112	170
GVE	MISO_RT O	MISO_RTO.SIGE.FOWLR_month_on_dac	SIGE.FOWLR	Generator	DA Cong. + Energy	On Peak	25	150	150	1800	
GVF	MISO_RT O	MISO_RTO.SIGE.FOWLR_month_off_dac	SIGE.FOWLR	Generator	DA Cong. + Energy	Off Peak	25	150	150	1800	
GVG	MISO_RT O	MISO_RTO.TVA.WHITEOAK_month_on_dac	TVA.WHITEOAK	Generator	DA Cong. + Energy	On Peak	25	38	38	456	
GVH	MISO_RT O	MISO_RTO.TVA.WHITEOAK_month_off_dac	TVA.WHITEOAK	Generator	DA Cong. + Energy	Off Peak	25	38	38	456	
GVI	MISO_RT O	MISO_RTO.AMIL.HAVANA86_month_on_dac	AMIL.HAVANA86	Generator	DA Cong. + Energy	On Peak	25	115	115	1380	
GVJ	MISO_RT O	MISO_RTO.AMIL.HAVANA86_month_off_dac	AMIL.HAVANA86	Generator	DA Cong. + Energy	Off Peak	25	115	115	1380	
GYS	MISO_RT O	MISO_RTO.AMMO.SIOUX1_month_on_dac	AMMO.SIOUX1	Generator	DA Cong. + Energy	On Peak	25	259	259	3108	
GYT	MISO_RT O	MISO_RTO.AMMO.SIOUX1_month_off_dac	AMMO.SIOUX1	Generator	DA Cong. + Energy	Off Peak	25	259	259	3108	
GYU	MISO_RT O	MISO_RTO.AMMO.MERAMECT1_month_on_dac	AMMO.MERAMECT1	Generator	DA Cong. + Energy	On Peak	25	27	27	324	
GYV	MISO_RT O	MISO_RTO.AMMO.MERAMECT1_month_off_dac	AMMO.MERAMECT1	Generator	DA Cong. + Energy	Off Peak	25	27	27	324	
HJU	MISO_RT O	MISO_RTO.AMIL.BRICKYARD_month_on_dac	AMIL.BRICKYARD	Subzone	DA Cong. + Energy	On Peak	25	1666	1666	19992	31
HJV	MISO_RT O	MISO_RTO.AMIL.BRICKYARD_month_off_dac	AMIL.BRICKYARD	Subzone	DA Cong. + Energy	Off Peak	25	1375	1375	16500	30

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
LIZ	PJM	PJM.LAKEWOOD18 KVOCEAN C2_month_off_dap	LAKEWOOD18 KVOCEAN C2	Generator	Day Ahead Power	Off Peak	25	60	60	720	292
LJA	PJM	PJM.LAKEWOOD230 KVNUG LK_month_on_dap	LAKEWOOD230 KVNUG LK	Generator	Day Ahead Power	On Peak	25	57	57	684	
LJB	PJM	PJM.LAKEWOOD230 KVNUG LK_month_off_dap	LAKEWOOD230 KVNUG LK	Generator	Day Ahead Power	Off Peak	25	57	57	684	
LJC	PJM	PJM.ROCKSPRI18 KVCT3_month_on_dap	ROCKSPRI18 KVCT3	Generator	Day Ahead Power	On Peak	25	193	193	2316	293
LJD	PJM	PJM.ROCKSPRI18 KVCT3_month_off_dap	ROCKSPRI18 KVCT3	Generator	Day Ahead Power	Off Peak	25	193	193	2316	294
LJE	PJM	PJM.ROCKSPRI18 KVCT4_month_on_dap	ROCKSPRI18 KVCT4	Generator	Day Ahead Power	On Peak	25	193	193	2316	293
LJF	PJM	PJM.ROCKSPRI18 KVCT4_month_off_dap	ROCKSPRI18 KVCT4	Generator	Day Ahead Power	Off Peak	25	193	193	2316	294
LLK	PJM	PJM.MISO_month_on_dap	MISO	Interface	Day Ahead Power	On Peak	25	1708	1708	20496	279
LLL	PJM	PJM.MISO_month_off_dap	MISO	Interface	Day Ahead Power	Off Peak	25	1708	1708	20496	280
LJY	SPP	SPP.BLKW_month_on_dap	BLKW	Interface	Day Ahead Power	On Peak	25	50	50	600	
LJZ	SPP	SPP.BLKW_month_off_dap	BLKW	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKA	SPP	SPP.EDDY_month_on_dap	EDDY	Interface	Day Ahead Power	On Peak	25	50	50	600	
LKB	SPP	SPP.EDDY_month_off_dap	EDDY	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKC	SPP	SPP.ERCOTE_month_on_dap	ERCOTE	Interface	Day Ahead Power	On Peak	25	150	150	1800	
LKD	SPP	SPP.ERCOTE_month_off_dap	ERCOTE	Interface	Day Ahead Power	Off Peak	25	150	150	1800	
LKE	SPP	SPP.ERCOTN_month_on_dap	ERCOTN	Interface	Day Ahead Power	On Peak	25	55	55	660	
LKF	SPP	SPP.ERCOTN_month_off_dap	ERCOTN	Interface	Day Ahead Power	Off Peak	25	55	55	660	
LKG	SPP	SPP.LAM345_month_on_dap	LAM345	Interface	Day Ahead Power	On Peak	25	53	53	636	
LKH	SPP	SPP.LAM345_month_off_dap	LAM345	Interface	Day Ahead Power	Off Peak	25	53	53	636	
LKI	SPP	SPP.MCWEST_month_on_dap	MCWEST	Interface	Day Ahead Power	On Peak	25	50	50	600	
LKJ	SPP	SPP.MCWEST_month_off_dap	MCWEST	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKK	SPP	SPP.MISO_month_on_dap	MISO	Interface	Day Ahead Power	On Peak	25	334	334	4008	295
LKL	SPP	SPP.MISO_month_off_dap	MISO	Interface	Day Ahead Power	Off Peak	25	334	334	4008	296
LKM	SPP	SPP.OKGE.BALKO.WIND.1_month_on_dap	OKGE.BALKO.WIND.1	Generator	Day Ahead Power	On Peak	25	75	75	900	
LKN	SPP	SPP.OKGE.BALKO.WIND.1_month_off_dap	OKGE.BALKO.WIND.1	Generator	Day Ahead Power	Off Peak	25	75	75	900	
LKO	SPP	SPP.OKGEKEENANWIND_month_on_dap	OKGEKEENANWIND	Generator	Day Ahead Power	On Peak	25	38	38	456	
LKP	SPP	SPP.OKGEKEENANWIND_month_off_dap	OKGEKEENANWIND	Generator	Day Ahead Power	Off Peak	25	38	38	456	
LKQ	SPP	SPP.OKGE_OKGE_month_on_dap	OKGE_OKGE	Zone	Day Ahead Power	On Peak	25	925	925	11100	
LKR	SPP	SPP.OKGE_OKGE_month_off_dap	OKGE_OKGE	Zone	Day Ahead Power	Off Peak	25	764	764	9168	
LKS	SPP	SPP.RCEAST_month_on_dap	RCEAST	Interface	Day Ahead Power	On Peak	25	51	51	612	
LKT	SPP	SPP.RCEAST_month_off_dap	RCEAST	Interface	Day Ahead Power	Off Peak	25	51	51	612	
LKU	SPP	SPP.SCSE_month_on_dap	SCSE	Interface	Day Ahead Power	On Peak	25	50	50	600	
LKV	SPP	SPP.SCSE_month_off_dap	SCSE	Interface	Day Ahead Power	Off Peak	25	50	50	600	
LKW	SPP	SPP.SPPNORTH_HUB_month_on_dap	SPPNORTH_HUB	Hub	Day Ahead Power	On Peak	25	1468	1468	17616	
LKX	SPP	SPP.SPPNORTH_HUB_month_on_rtp	SPPNORTH_HUB	Hub	Real Time Power	On Peak	25	1468	1468	17616	
LKY	SPP	SPP.SPPNORTH_HUB_month_off_dap	SPPNORTH_HUB	Hub	Day Ahead Power	Off Peak	25	1213	1213	14556	
LKZ	SPP	SPP.SPPNORTH_HUB_month_off_rtp	SPPNORTH_HUB	Hub	Real Time Power	Off Peak	25	1213	1213	14556	
LLA	SPP	SPP.SPPSOUTH_HUB_month_on_dap	SPPSOUTH_HUB	Main Hub	Day Ahead Power	On Peak	25	4115	4115	49380	
LLB	SPP	SPP.SPPSOUTH_HUB_month_on_rtp	SPPSOUTH_HUB	Main Hub	Real Time Power	On Peak	25	4115	4115	49380	
LLC	SPP	SPP.SPPSOUTH_HUB_month_off_dap	SPPSOUTH_HUB	Main Hub	Day Ahead Power	Off Peak	25	3401	3401	40812	
LLD	SPP	SPP.SPPSOUTH_HUB_month_off_rtp	SPPSOUTH_HUB	Main Hub	Real Time Power	Off Peak	25	3401	3401	40812	
LLE	SPP	SPP.SPS_SPS_month_on_dap	SPS_SPS	Zone	Day Ahead Power	On Peak	25	815	815	9780	
LLF	SPP	SPP.SPS_SPS_month_off_dap	SPS_SPS	Zone	Day Ahead Power	Off Peak	25	673	673	8076	
LLG	SPP	SPP.WAUE_month_on_dap	WAUE	Interface	Day Ahead Power	On Peak	25	826	826	9912	
LLH	SPP	SPP.WAUE_month_off_dap	WAUE	Interface	Day Ahead Power	Off Peak	25	826	826	9912	
LLI	SPP	SPP.WR_WR_month_on_dap	WR_WR	Zone	Day Ahead Power	On Peak	25	832	832	9984	
LLJ	SPP	SPP.WR_WR_month_off_dap	WR_WR	Zone	Day Ahead Power	Off Peak	25	688	688	8256	