

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FOW	CAISO	CAISO.DLAP_PGAE-APND_month_on_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	On Peak	25	3261	3261	39132	78
FOX	CAISO	CAISO.DLAP_PGAE-APND_month_off_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2705	2705	32460	77
FOY	CAISO	CAISO.DLAP_SCE-APND_month_on_dap	DLAP_SCE-APND	Zone	Day Ahead Power	On Peak	25	3303	3303	39636	80
FOZ	CAISO	CAISO.DLAP_SCE-APND_month_off_dap	DLAP_SCE-APND	Zone	Day Ahead Power	Off Peak	25	2629	2629	31548	79
FPA	CAISO	CAISO.DLAP_SDGE-APND_month_on_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8028	82
FPB	CAISO	CAISO.DLAP_SDGE-APND_month_off_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6180	81
FQA	CAISO	CAISO.PALOVNRDE_ASR-APND_month_on_dap	PALOVNRDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9984	181
FQB	CAISO	CAISO.PALOVNRDE_ASR-APND_month_off_dap	PALOVNRDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9984	180
FQU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	On Peak	25	4707	4707	56484	215
FQV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	Off Peak	25	3961	3961	47532	214
FQW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6934	6934	83208	217
FQX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6070	6070	72840	216
FQY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7056	219
FQZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5940	218
HKU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4707	4707	56484	215
HKV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3961	3961	47532	214
HKW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6934	6934	83208	217
HKX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6070	6070	72840	216
HKY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7056	219
HKZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5940	218
HLA	CAISO	CAISO.DLAP_PGAE-APND_month_on_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3261	3261	39132	78
HLB	CAISO	CAISO.DLAP_PGAE-APND_month_off_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2705	2705	32460	77
HLC	CAISO	CAISO.DLAP_SCE-APND_month_on_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3303	3303	39636	80
HLD	CAISO	CAISO.DLAP_SCE-APND_month_off_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2629	2629	31548	79
HLE	CAISO	CAISO.DLAP_SDGE-APND_month_on_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8028	82
HLF	CAISO	CAISO.DLAP_SDGE-APND_month_off_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6180	81
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HLI	CAISO	CAISO.DEVERS_2_B2_month_on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8904	
HLJ	CAISO	CAISO.DEVERS_2_B2_month_off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8904	
HLK	CAISO	CAISO.FOURCORN_5_N501_month_on_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	On Peak	25	411	411	4932	
HLL	CAISO	CAISO.FOURCORN_5_N501_month_off_dac	FOURCORN_5_N501	Interface	DA Cong. + Energy	Off Peak	25	411	411	4932	
HLM	CAISO	CAISO.IMPRLVLY_2_B2_month_on_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10884	
HLN	CAISO	CAISO.IMPRLVLY_2_B2_month_off_dac	IMPRLVLY_2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10884	
HLO	CAISO	CAISO.INTERM1G_7_N501_month_on_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2184	
HLP	CAISO	CAISO.INTERM1G_7_N501_month_off_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2184	
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9204	
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9204	
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1812	
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1812	
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5580	
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5580	
HLY	CAISO	CAISO.MIDWAY_5_B1_month_on_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	On Peak	25	2268	2268	27216	
HLZ	CAISO	CAISO.MIDWAY_5_B1_month_off_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	Off Peak	25	2268	2268	27216	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
HKC	MISO_RT O	MISO_RTO.AMIL.STWF_month_on_dac	AMIL.STWF	Generator	DA Cong. + Energy	On Peak	25	38	38	456	
HKD	MISO_RT O	MISO_RTO.AMIL.STWF_month_off_dac	AMIL.STWF	Generator	DA Cong. + Energy	Off Peak	25	38	38	456	
HKG	MISO_RT O	MISO_RTO.NIPS.IMPA_1.AZ_month_on_dac	NIPS.IMPA_1.AZ	Subzone	DA Cong. + Energy	On Peak	25	516	516	6192	171
HKH	MISO_RT O	MISO_RTO.NIPS.IMPA_1.AZ_month_off_dac	NIPS.IMPA_1.AZ	Subzone	DA Cong. + Energy	Off Peak	25	426	426	5112	170
HKK	MISO_RT O	MISO_RTO.NIPS.NORWAPNOR_month_on_dac	NIPS.NORWAPNOR	Generator	DA Cong. + Energy	On Peak	25	1	1	12	
HKL	MISO_RT O	MISO_RTO.NIPS.NORWAPNOR_month_off_dac	NIPS.NORWAPNOR	Generator	DA Cong. + Energy	Off Peak	25	1	1	12	
HKO	MISO_RT O	MISO_RTO.NIPS.OAKDAPOAK_month_on_dac	NIPS.OAKDAPOAK	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HKP	MISO_RT O	MISO_RTO.NIPS.OAKDAPOAK_month_off_dac	NIPS.OAKDAPOAK	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	
HKS	MISO_RT O	MISO_RTO.ALTW.8THST3_month_on_dac	ALTW.8THST3	Generator	DA Cong. + Energy	On Peak	25	18	18	216	
HKT	MISO_RT O	MISO_RTO.ALTW.8THST3_month_off_dac	ALTW.8THST3	Generator	DA Cong. + Energy	Off Peak	25	18	18	216	
HRI	MISO_RT O	MISO_RTO.AMIL.BALDWI52_month_on_dac	AMIL.BALDWI52	Generator	DA Cong. + Energy	On Peak	25	440	440	5280	33
HRJ	MISO_RT O	MISO_RTO.AMIL.BALDWI52_month_off_dac	AMIL.BALDWI52	Generator	DA Cong. + Energy	Off Peak	25	440	440	5280	32
HRK	MISO_RT O	MISO_RTO.AMIL.BALDWI53_month_on_dac	AMIL.BALDWI53	Generator	DA Cong. + Energy	On Peak	25	440	440	5280	33
HRL	MISO_RT O	MISO_RTO.AMIL.BALDWI53_month_off_dac	AMIL.BALDWI53	Generator	DA Cong. + Energy	Off Peak	25	440	440	5280	32
HRU	MISO_RT O	MISO_RTO.AMIL.IP.AZ_month_on_dac	AMIL.IP.AZ	Subzone	DA Cong. + Energy	On Peak	25	1666	1666	19992	31
HRV	MISO_RT O	MISO_RTO.AMIL.IP.AZ_month_off_dac	AMIL.IP.AZ	Subzone	DA Cong. + Energy	Off Peak	25	1375	1375	16500	30
HUG	MISO_RT O	MISO_RTO.MOGEN1.AGG_month_on_dac	MOGEN1.AGG	Subzone	DA Cong. + Energy	On Peak	25	1443	1443	17316	35
HUH	MISO_RT O	MISO_RTO.MOGEN1.AGG_month_off_dac	MOGEN1.AGG	Subzone	DA Cong. + Energy	Off Peak	25	1191	1191	14292	34
HYE	MISO_RT O	MISO_RTO.LOUISIANA.HUB_month_on_dac	LOUISIANA.HUB	Hub	DA Cong. + Energy	On Peak	25	4122	4122	49464	254
HYF	MISO_RT O	MISO_RTO.LOUISIANA.HUB_month_off_dac	LOUISIANA.HUB	Hub	DA Cong. + Energy	Off Peak	25	3600	3600	43200	270
HYG	MISO_RT O	MISO_RTO.ARKANSAS.HUB_month_on_dac	ARKANSAS.HUB	Hub	DA Cong. + Energy	On Peak	25	6346	6346	76152	243
HYH	MISO_RT O	MISO_RTO.ARKANSAS.HUB_month_off_dac	ARKANSAS.HUB	Hub	DA Cong. + Energy	Off Peak	25	5542	5542	66504	259
HYI	MISO_RT O	MISO_RTO.TEXAS.HUB_month_on_dac	TEXAS.HUB	Hub	DA Cong. + Energy	On Peak	25	3473	3473	41676	258
HYJ	MISO_RT O	MISO_RTO.TEXAS.HUB_month_off_dac	TEXAS.HUB	Hub	DA Cong. + Energy	Off Peak	25	3033	3033	36396	274
CTE	NYISO	NYISO.CAPITL_month_on_dap	CAPITL	Zone	Day Ahead Power	On Peak	25	516	516	6192	51
CTF	NYISO	NYISO.CAPITL_month_off_dap	CAPITL	Zone	Day Ahead Power	Off Peak	25	513	513	6156	50
CTQ	NYISO	NYISO.CENTRL_month_on_dap	CENTRL	Zone	Day Ahead Power	On Peak	25	723 786	723 786	8676 9432	55
CTR	NYISO	NYISO.CENTRL_month_off_dap	CENTRL	Zone	Day Ahead Power	Off Peak	25	589	589	7068	54
CUU	NYISO	NYISO.DUNWOD_month_on_dap	DUNWOD	Zone	Day Ahead Power	On Peak	25	200	200	2400	90
CUV	NYISO	NYISO.DUNWOD_month_off_dap	DUNWOD	Zone	Day Ahead Power	Off Peak	25	156	156	1872	89
CWE	NYISO	NYISO.GENESE_month_on_dap	GENESE	Zone	Day Ahead Power	On Peak	25	324	324	3888	100
CWF	NYISO	NYISO.GENESE_month_off_dap	GENESE	Zone	Day Ahead Power	Off Peak	25	255	255	3060	99
CXO	NYISO	NYISO.HUD VL_month_on_dap	HUD VL	Zone	Day Ahead Power	On Peak	25	474 2968	474 2968	5647 35616	114

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
CXP	NYISO	NYISO.HUD_VL_month_off_dap	HUD_VL	Zone	Day Ahead Power	Off Peak	25	513 2968	513 2968	6154 35616	113
CYU	NYISO	NYISO.LONGIL_month_on_dap	LONGIL	Zone	Day Ahead Power	On Peak	25	728	728	8736	134
CYV	NYISO	NYISO.LONGIL_month_off_dap	LONGIL	Zone	Day Ahead Power	Off Peak	25	574	574	6888	133
CZA	NYISO	NYISO.MHK_VL_month_on_dap	MHK_VL	Zone	Day Ahead Power	On Peak	25	252	252	3024	153
CZB	NYISO	NYISO.MHK_VL_month_off_dap	MHK_VL	Zone	Day Ahead Power	Off Peak	25	200	200	2400	152
CZG	NYISO	NYISO.MILLWD_month_on_dap	MILLWD	Zone	Day Ahead Power	On Peak	25	234	234	2808	159
CZH	NYISO	NYISO.MILLWD_month_off_dap	MILLWD	Zone	Day Ahead Power	Off Peak	25	188	188	2256	158
CZS	NYISO	NYISO.N.Y.C._month_on_dap	N.Y.C.	Zone	Day Ahead Power	On Peak	25	1765 1905	1765 1905	21180 22860	169
CZT	NYISO	NYISO.N.Y.C._month_off_dap	N.Y.C.	Zone	Day Ahead Power	Off Peak	25	1366	1366	16392	168
DBA	NYISO	NYISO.NORTH_month_on_dap	NORTH	Zone	Day Ahead Power	On Peak	25	174 714	174 714	2088 8568	173
DBB	NYISO	NYISO.NORTH_month_off_dap	NORTH	Zone	Day Ahead Power	Off Peak	25	164 538	164 538	1968 6456	172
DEU	NYISO	NYISO.WEST_month_on_dap	WEST	Main Hub	Day Ahead Power	On Peak	25	3529 3810	3529 3810	42353 45720	231
DEV	NYISO	NYISO.WEST_month_off_dap	WEST	Main Hub	Day Ahead Power	Off Peak	25	1026 1051	-1026 1051	-12308 12612	230
FTG	NYISO	NYISO.HUD_VL_month_on_rtp	HUD_VL	Zone	Real Time Power	On Peak	25	471 2968	471 2968	5647 35616	
FTH	NYISO	NYISO.HUD_VL_month_off_rtp	HUD_VL	Zone	Real Time Power	Off Peak	25	513 2968	513 2968	6154 35616	
FTO	NYISO	NYISO.N.Y.C._month_on_rtp	N.Y.C.	Zone	Real Time Power	On Peak	25	1765 1905	1765 1905	21180 22860	
FTP	NYISO	NYISO.N.Y.C._month_off_rtp	N.Y.C.	Zone	Real Time Power	Off Peak	25	1366	1366	16392	
FTS	NYISO	NYISO.WEST_month_on_rtp	WEST	Main Hub	Real Time Power	On Peak	25	3529 3810	3529 3810	42353 45720	
FTT	NYISO	NYISO.WEST_month_off_rtp	WEST	Main Hub	Real Time Power	Off Peak	25	1026 1051	1026 1051	12308 12612	
FWE	NYISO	NYISO.ENERGY_month_on_dae	ENERGY	Hub	Day Ahead Energy	On Peak	25	8466	8466	101592	
FWF	NYISO	NYISO.ENERGY_month_off_dae	ENERGY	Hub	Day Ahead Energy	Off Peak	25	7605	7605	91260	
HAI	NYISO	NYISO.ARTHUR_KILL_2_month_on_dac	ARTHUR_KILL_2	Generator	DA Cong. + Energy	On Peak	25	233	233	2796	41
HAJ	NYISO	NYISO.ARTHUR_KILL_2_month_off_dac	ARTHUR_KILL_2	Generator	DA Cong. + Energy	Off Peak	25	233	233	2796	40
HAK	NYISO	NYISO.ARTHUR_KILL_3_month_on_dac	ARTHUR_KILL_3	Generator	DA Cong. + Energy	On Peak	25	233	233	2796	41
HAL	NYISO	NYISO.ARTHUR_KILL_3_month_off_dac	ARTHUR_KILL_3	Generator	DA Cong. + Energy	Off Peak	25	233	233	2796	40
HAM	NYISO	NYISO.AST_ENERGY_2_CC3_month_on_dac	AST_ENERGY_2_CC3	Generator	DA Cong. + Energy	On Peak	25	154	154	1848	
HAN	NYISO	NYISO.AST_ENERGY_2_CC3_month_off_dac	AST_ENERGY_2_CC3	Generator	DA Cong. + Energy	Off Peak	25	154	154	1848	
HAO	NYISO	NYISO.ASTORIA_EAST_ENERGY_CC1_month_on_dac	ASTORIA_EAST_ENERGY_CC1	Generator	DA Cong. + Energy	On Peak	25	160	160	1920	
HAP	NYISO	NYISO.ASTORIA_EAST_ENERGY_CC1_month_off_dac	ASTORIA_EAST_ENERGY_CC1	Generator	DA Cong. + Energy	Off Peak	25	160	160	1920	
HAQ	NYISO	NYISO.ATHENS_STG_1_month_on_dac	ATHENS_STG_1	Generator	DA Cong. + Energy	On Peak	25	331	331	3972	
HAR	NYISO	NYISO.ATHENS_STG_1_month_off_dac	ATHENS_STG_1	Generator	DA Cong. + Energy	Off Peak	25	331	331	3972	
HAS	NYISO	NYISO.BARRETT__1_month_on_dac	BARRETT__1	Generator	DA Cong. + Energy	On Peak	25	167	167	2004	297
HAT	NYISO	NYISO.BARRETT__1_month_off_dac	BARRETT__1	Generator	DA Cong. + Energy	Off Peak	25	167	167	2004	298
HAU	NYISO	NYISO.BLISS_WT_PWR_month_on_dac	BLISS_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
HAV	NYISO	NYISO.BLISS_WT_PWR_month_off_dac	BLISS_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	
HAW	NYISO	NYISO.BOWLINE__1_month_on_dac	BOWLINE__1	Generator	DA Cong. + Energy	On Peak	25	311	311	3732	
HAX	NYISO	NYISO.BOWLINE__1_month_off_dac	BOWLINE__1	Generator	DA Cong. + Energy	Off Peak	25	311	311	3732	
HAY	NYISO	NYISO.BROOKLYN_NAVY_YARD_month_on_dac	BROOKLYN_NAVY_YARD	Generator	DA Cong. + Energy	On Peak	25	81	81	972	
HAZ	NYISO	NYISO.BROOKLYN_NAVY_YARD_month_off_dac	BROOKLYN_NAVY_YARD	Generator	DA Cong. + Energy	Off Peak	25	81	81	972	
HBA	NYISO	NYISO.CAITHNESS_CC_1_month_on_dac	CAITHNESS_CC_1	Generator	DA Cong. + Energy	On Peak	25	87	87	1044	
HBB	NYISO	NYISO.CAITHNESS_CC_1_month_off_dac	CAITHNESS_CC_1	Generator	DA Cong. + Energy	Off Peak	25	87	87	1044	
HBC	NYISO	NYISO.CANDIGU_WT_PWR_month_on_dac	CANDIGU_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	31	31	372	
HBD	NYISO	NYISO.CANDIGU_WT_PWR_month_off_dac	CANDIGU_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	31	31	372	
HBE	NYISO	NYISO.CARR STREET_E_SYR_month_on_dac	CARR STREET_E_SYR	Generator	DA Cong. + Energy	On Peak	25	31	31	372	
HBF	NYISO	NYISO.CARR STREET_E_SYR_month_off_dac	CARR STREET_E_SYR	Generator	DA Cong. + Energy	Off Peak	25	31	31	372	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
HBG	NYISO	NYISO.CENTRL_month_on_dac	CENTRL	Zone	DA Cong. + Energy	On Peak	25	723 786	723 786	8676 9432	55
HBH	NYISO	NYISO.CENTRL_month_off_dac	CENTRL	Zone	DA Cong. + Energy	Off Peak	25	589	589	7068	54
HBI	NYISO	NYISO.CH_RES_BVR_FALLS_month_on_dac	CH_RES_BVR_FALLS	Generator	DA Cong. + Energy	On Peak	25	27	27	324	
HBJ	NYISO	NYISO.CH_RES_BVR_FALLS_month_off_dac	CH_RES_BVR_FALLS	Generator	DA Cong. + Energy	Off Peak	25	27	27	324	
HBK	NYISO	NYISO.CH_RES_SYRACUSE_month_on_dac	CH_RES_SYRACUSE	Generator	DA Cong. + Energy	On Peak	25	26	26	312	
HBL	NYISO	NYISO.CH_RES_SYRACUSE_month_off_dac	CH_RES_SYRACUSE	Generator	DA Cong. + Energy	Off Peak	25	26	26	312	
HBM	NYISO	NYISO.CHATEAUG_WT_PWR_month_on_dac	CHATEAUG_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	27	27	324	
HBN	NYISO	NYISO.CHATEAUG_WT_PWR_month_off_dac	CHATEAUG_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	27	27	324	
HBO	NYISO	NYISO.DANSKAMMER__4_month_on_dac	DANSKAMMER__4	Generator	DA Cong. + Energy	On Peak	25	134	134	1608	
HBP	NYISO	NYISO.DANSKAMMER__4_month_off_dac	DANSKAMMER__4	Generator	DA Cong. + Energy	Off Peak	25	134	134	1608	
HBS	NYISO	NYISO.DUNWOD_month_on_dac	DUNWOD	Zone	DA Cong. + Energy	On Peak	25	200	200	2400	90
HBT	NYISO	NYISO.DUNWOD_month_off_dac	DUNWOD	Zone	DA Cong. + Energy	Off Peak	25	156	156	1872	89
HBU	NYISO	NYISO.E_FISHKILL__LBMP_month_on_dac	E_FISHKILL__LBMP	Interface	DA Cong. + Energy	On Peak	25	341	341	4092	
HBV	NYISO	NYISO.E_FISHKILL__LBMP_month_off_dac	E_FISHKILL__LBMP	Interface	DA Cong. + Energy	Off Peak	25	341	341	4092	
HBW	NYISO	NYISO.EAST RIVER__7_month_on_dac	EAST RIVER__7	Generator	DA Cong. + Energy	On Peak	25	179	179	2148	
HBX	NYISO	NYISO.EAST RIVER__7_month_off_dac	EAST RIVER__7	Generator	DA Cong. + Energy	Off Peak	25	179	179	2148	
HBY	NYISO	NYISO.EMPIRE_CC_1_month_on_dac	EMPIRE_CC_1	Generator	DA Cong. + Energy	On Peak	25	168	168	2016	
HBZ	NYISO	NYISO.EMPIRE_CC_1_month_off_dac	EMPIRE_CC_1	Generator	DA Cong. + Energy	Off Peak	25	168	168	2016	
HCC	NYISO	NYISO.FITZPATRICK__month_on_dac	FITZPATRICK__	Generator	DA Cong. + Energy	On Peak	25	221	221	2652	
HCD	NYISO	NYISO.FITZPATRICK__month_off_dac	FITZPATRICK__	Generator	DA Cong. + Energy	Off Peak	25	221	221	2652	
HCE	NYISO	NYISO.GENESE_month_on_dac	GENESE	Zone	DA Cong. + Energy	On Peak	25	324	324	3888	100
HCF	NYISO	NYISO.GENESE_month_off_dac	GENESE	Zone	DA Cong. + Energy	Off Peak	25	255	255	3060	99
HCG	NYISO	NYISO.GILBOA__1_month_on_dac	GILBOA__1	Generator	DA Cong. + Energy	On Peak	25	250	250	3000	
HCH	NYISO	NYISO.GILBOA__1_month_off_dac	GILBOA__1	Generator	DA Cong. + Energy	Off Peak	25	250	250	3000	
HCI	NYISO	NYISO.GINNA__month_on_dac	GINNA__	Generator	DA Cong. + Energy	On Peak	25	154	154	1848	
HCJ	NYISO	NYISO.GINNA__month_off_dac	GINNA__	Generator	DA Cong. + Energy	Off Peak	25	154	154	1848	
HCM	NYISO	NYISO.GLOBAL GREEN_PORT_GT1_month_on_dac	GLOBAL GREEN_PORT_GT1	Generator	DA Cong. + Energy	On Peak	25	14	14	168	
HCN	NYISO	NYISO.GLOBAL GREEN_PORT_GT1_month_off_dac	GLOBAL GREEN_PORT_GT1	Generator	DA Cong. + Energy	Off Peak	25	14	14	168	
HCO	NYISO	NYISO.HISHELDN_WT_PWR_month_on_dac	HISHELDN_WT_PWR	Generator	DA Cong. + Energy	On Peak	25	28	28	336	
HCP	NYISO	NYISO.HISHELDN_WT_PWR_month_off_dac	HISHELDN_WT_PWR	Generator	DA Cong. + Energy	Off Peak	25	28	28	336	
HCQ	NYISO	NYISO.HQ_GEN_CEDARS_PROXY_month_on_dac	HQ_GEN_CEDARS_PROXY	Interface	DA Cong. + Energy	On Peak	25	81	81	972	
HCR	NYISO	NYISO.HQ_GEN_CEDARS_PROXY_month_off_dac	HQ_GEN_CEDARS_PROXY	Interface	DA Cong. + Energy	Off Peak	25	81	81	972	
HCS	NYISO	NYISO.HQ_GEN_IMPORT_month_on_dac	HQ_GEN_IMPORT	Interface	DA Cong. + Energy	On Peak	25	225	225	2700	
HCT	NYISO	NYISO.HQ_GEN_IMPORT_month_off_dac	HQ_GEN_IMPORT	Interface	DA Cong. + Energy	Off Peak	25	225	225	2700	
HCU	NYISO	NYISO.HUD_VL_month_on_dac	HUD_VL	Zone	DA Cong. + Energy	On Peak	25	471 2968	471 2968	5647 35616	114
HCV	NYISO	NYISO.HUD_VL_month_off_dac	HUD_VL	Zone	DA Cong. + Energy	Off Peak	25	543 2968	543 2968	6154 35616	113
HCW	NYISO	NYISO.HUNTLEY__67_month_on_dac	HUNTLEY__67	Generator	DA Cong. + Energy	On Peak	25	109	109	1308	
HXX	NYISO	NYISO.HUNTLEY__67_month_off_dac	HUNTLEY__67	Generator	DA Cong. + Energy	Off Peak	25	109	109	1308	
HCY	NYISO	NYISO.INDECK__CORINTH_month_on_dac	INDECK__CORINTH	Generator	DA Cong. + Energy	On Peak	25	37	37	444	
HCZ	NYISO	NYISO.INDECK__CORINTH_month_off_dac	INDECK__CORINTH	Generator	DA Cong. + Energy	Off Peak	25	37	37	444	
HDA	NYISO	NYISO.INDIAN POINT__2_month_on_dac	INDIAN POINT__2	Generator	DA Cong. + Energy	On Peak	25	325	325	3900	120
HDB	NYISO	NYISO.INDIAN POINT__2_month_off_dac	INDIAN POINT__2	Generator	DA Cong. + Energy	Off Peak	25	325	325	3900	119
HDC	NYISO	NYISO.KIAC_JFK_GT2_month_on_dac	KIAC_JFK_GT2	Generator	DA Cong. + Energy	On Peak	25	30	30	360	
HDD	NYISO	NYISO.KIAC_JFK_GT2_month_off_dac	KIAC_JFK_GT2	Generator	DA Cong. + Energy	Off Peak	25	30	30	360	
HDE	NYISO	NYISO.KINTIGH__month_on_dac	KINTIGH__	Generator	DA Cong. + Energy	On Peak	25	164	164	1968	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
HDF	NYISO	NYISO.KINTIGH____month_off_dac	KINTIGH____	Generator	DA Cong. + Energy	Off Peak	25	164	164	1968	
HDG	NYISO	NYISO.LINDEN COGEN____month_on_dac	LINDEN COGEN____	Generator	DA Cong. + Energy	On Peak	25	259	259	3108	
HDH	NYISO	NYISO.LINDEN COGEN____month_off_dac	LINDEN COGEN____	Generator	DA Cong. + Energy	Off Peak	25	259	259	3108	
HDI	NYISO	NYISO.LONGIL_month_on_dac	LONGIL	Zone	DA Cong. + Energy	On Peak	25	728	728	8736	134
HDJ	NYISO	NYISO.LONGIL_month_off_dac	LONGIL	Zone	DA Cong. + Energy	Off Peak	25	574	574	6888	133
HDK	NYISO	NYISO.MAPLE RIDGE_WT_1_month_on_dac	MAPLE RIDGE_WT_1	Generator	DA Cong. + Energy	On Peak	25	81	81	972	
HDL	NYISO	NYISO.MAPLE RIDGE_WT_1_month_off_dac	MAPLE RIDGE_WT_1	Generator	DA Cong. + Energy	Off Peak	25	81	81	972	
HDM	NYISO	NYISO.MHK VL_month_on_dac	MHK VL	Zone	DA Cong. + Energy	On Peak	25	252	252	3024	153
HDN	NYISO	NYISO.MHK VL_month_off_dac	MHK VL	Zone	DA Cong. + Energy	Off Peak	25	200	200	2400	152
HDO	NYISO	NYISO.MILLIKEN__2_month_on_dac	MILLIKEN__2	Generator	DA Cong. + Energy	On Peak	25	82	82	984	
HDP	NYISO	NYISO.MILLIKEN__2_month_off_dac	MILLIKEN__2	Generator	DA Cong. + Energy	Off Peak	25	82	82	984	
HDQ	NYISO	NYISO.MILLWD_month_on_dac	MILLWD	Zone	DA Cong. + Energy	On Peak	25	234	234	2808	159
HDR	NYISO	NYISO.MILLWD_month_off_dac	MILLWD	Zone	DA Cong. + Energy	Off Peak	25	188	188	2256	158
HDS	NYISO	NYISO.N.E._GEN_SANDY PD_month_on_dac	N.E._GEN_SANDY PD	Interface	DA Cong. + Energy	On Peak	25	500	500	6000	281
HDT	NYISO	NYISO.N.E._GEN_SANDY PD_month_off_dac	N.E._GEN_SANDY PD	Interface	DA Cong. + Energy	Off Peak	25	500	500	6000	282
HDU	NYISO	NYISO.N.Y.C._month_on_dac	N.Y.C.	Zone	DA Cong. + Energy	On Peak	25	1765 1905	1765 1905	21480 22860	169
HDV	NYISO	NYISO.N.Y.C._month_off_dac	N.Y.C.	Zone	DA Cong. + Energy	Off Peak	25	1366	1366	16392	168
HDW	NYISO	NYISO.NARROWS_GT1_6_month_on_dac	NARROWS_GT1_6	Generator	DA Cong. + Energy	On Peak	25	88	88	1056	299
HDX	NYISO	NYISO.NARROWS_GT1_6_month_off_dac	NARROWS_GT1_6	Generator	DA Cong. + Energy	Off Peak	25	88	88	1056	300
HDY	NYISO	NYISO.NEG NORTH_FLCN_SEA_month_on_dac	NEG NORTH_FLCN_SEA	Generator	DA Cong. + Energy	On Peak	25	72	72	864	
HDZ	NYISO	NYISO.NEG NORTH_FLCN_SEA_month_off_dac	NEG NORTH_FLCN_SEA	Generator	DA Cong. + Energy	Off Peak	25	72	72	864	
HEA	NYISO	NYISO.NEG WEST_LEA_LOCKPORT_month_on_dac	NEG WEST_LEA_LOCKPORT	Generator	DA Cong. + Energy	On Peak	25	55	55	660	
HEB	NYISO	NYISO.NEG WEST_LEA_LOCKPORT_month_off_dac	NEG WEST_LEA_LOCKPORT	Generator	DA Cong. + Energy	Off Peak	25	55	55	660	
HEC	NYISO	NYISO.NEVERSINK__HYD_month_on_dac	NEVERSINK__HYD	Generator	DA Cong. + Energy	On Peak	25	6	6	72	
HED	NYISO	NYISO.NEVERSINK__HYD_month_off_dac	NEVERSINK__HYD	Generator	DA Cong. + Energy	Off Peak	25	6	6	72	
HEE	NYISO	NYISO.NIAGARA____month_on_dac	NIAGARA____	Generator	DA Cong. + Energy	On Peak	25	607	607	7284	
HEF	NYISO	NYISO.NIAGARA____month_off_dac	NIAGARA____	Generator	DA Cong. + Energy	Off Peak	25	607	607	7284	
HEG	NYISO	NYISO.NINE_MILE_1_month_on_dac	NINE_MILE_1	Generator	DA Cong. + Energy	On Peak	25	475	475	5700	301
HEH	NYISO	NYISO.NINE_MILE_1_month_off_dac	NINE_MILE_1	Generator	DA Cong. + Energy	Off Peak	25	475	475	5700	302
HEI	NYISO	NYISO.NORTH_month_on_dac	NORTH	Zone	DA Cong. + Energy	On Peak	25	174 714	174 714	2088 8568	173
HEJ	NYISO	NYISO.NORTH_month_off_dac	NORTH	Zone	DA Cong. + Energy	Off Peak	25	164 538	164 538	1968 6456	172
HEK	NYISO	NYISO.NORTHPORT__1_month_on_dac	NORTHPORT__1	Generator	DA Cong. + Energy	On Peak	25	391	391	4692	175
HEL	NYISO	NYISO.NORTHPORT__1_month_off_dac	NORTHPORT__1	Generator	DA Cong. + Energy	Off Peak	25	391	391	4692	174
HEM	NYISO	NYISO.NORTHPORT__3_month_on_dac	NORTHPORT__3	Generator	DA Cong. + Energy	On Peak	25	391	391	4692	175
HEN	NYISO	NYISO.NORTHPORT__3_month_off_dac	NORTHPORT__3	Generator	DA Cong. + Energy	Off Peak	25	391	391	4692	174
HEO	NYISO	NYISO.NYISO_LBMP_REFERENCE_month_on_dac	NYISO_LBMP_REFERENC E	Hub	DA Cong. + Energy	On Peak	25	8466	8466	101592	
HEP	NYISO	NYISO.NYISO_LBMP_REFERENCE_month_off_dac	NYISO_LBMP_REFERENC E	Hub	DA Cong. + Energy	Off Peak	25	7605	7605	91260	
HEQ	NYISO	NYISO.NYPA__ASTORIA_CC1_month_on_dac	NYPA__ASTORIA_CC1	Generator	DA Cong. + Energy	On Peak	25	144	144	1728	303
HER	NYISO	NYISO.NYPA__ASTORIA_CC1_month_off_dac	NYPA__ASTORIA_CC1	Generator	DA Cong. + Energy	Off Peak	25	144	144	1728	304
HES	NYISO	NYISO.NYPA__HOLTSVILL_month_on_dac	NYPA__HOLTSVILL	Generator	DA Cong. + Energy	On Peak	25	142	142	1704	
HET	NYISO	NYISO.NYPA__HOLTSVILL_month_off_dac	NYPA__HOLTSVILL	Generator	DA Cong. + Energy	Off Peak	25	142	142	1704	
HEU	NYISO	NYISO.NYPA_BRENTWD____GT_month_on_dac	NYPA_BRENTWD____GT	Generator	DA Cong. + Energy	On Peak	25	13	13	156	
HEV	NYISO	NYISO.NYPA_BRENTWD____GT_month_off_dac	NYPA_BRENTWD____GT	Generator	DA Cong. + Energy	Off Peak	25	13	13	156	
HEW	NYISO	NYISO.NYPA_GOWANUS____GT5_month_on_dac	NYPA_GOWANUS____GT 5	Generator	DA Cong. + Energy	On Peak	25	25	25	300	305

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
HEX	NYISO	NYISO.NYPA_GOWANUS___GT5_month_off_dac	NYPA_GOWANUS___GT5	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	306
HEY	NYISO	NYISO.NYPA_POUCH1___GT_month_on_dac	NYPA_POUCH1___GT	Generator	DA Cong. + Energy	On Peak	25	13	13	156	
HEZ	NYISO	NYISO.NYPA_POUCH1___GT_month_off_dac	NYPA_POUCH1___GT	Generator	DA Cong. + Energy	Off Peak	25	13	13	156	
HFA	NYISO	NYISO.NYPA_VERNON___GT2_month_on_dac	NYPA_VERNON___GT2	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
HFB	NYISO	NYISO.NYPA_VERNON___GT2_month_off_dac	NYPA_VERNON___GT2	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	
HFC	NYISO	NYISO.O.H._GEN_BRUCE_month_on_dac	O.H._GEN_BRUCE	Interface	DA Cong. + Energy	On Peak	25	1575	1575	18900	
HFD	NYISO	NYISO.O.H._GEN_BRUCE_month_off_dac	O.H._GEN_BRUCE	Interface	DA Cong. + Energy	Off Peak	25	1575	1575	18900	
HFE	NYISO	NYISO.OSWEGO___5_month_on_dac	OSWEGO___5	Generator	DA Cong. + Energy	On Peak	25	451	451	5412	
HFF	NYISO	NYISO.OSWEGO___5_month_off_dac	OSWEGO___5	Generator	DA Cong. + Energy	Off Peak	25	451	451	5412	
HFG	NYISO	NYISO.PINELAWN_CC_1_month_on_dac	PINELAWN_CC_1	Generator	DA Cong. + Energy	On Peak	25	21	21	252	
HFH	NYISO	NYISO.PINELAWN_CC_1_month_off_dac	PINELAWN_CC_1	Generator	DA Cong. + Energy	Off Peak	25	21	21	252	
HFI	NYISO	NYISO.PJM_GEN_KEYSTONE_month_on_dac	PJM_GEN_KEYSTONE	Interface	DA Cong. + Energy	On Peak	25	471	471	5652	
HFJ	NYISO	NYISO.PJM_GEN_KEYSTONE_month_off_dac	PJM_GEN_KEYSTONE	Interface	DA Cong. + Energy	Off Peak	25	471	471	5652	
HFK	NYISO	NYISO.PLEASANTVLY___LBMP_month_on_dac	PLEASANTVLY___LBMP	Interface	DA Cong. + Energy	On Peak	25	410	410	4920	
HFL	NYISO	NYISO.PLEASANTVLY___LBMP_month_off_dac	PLEASANTVLY___LBMP	Interface	DA Cong. + Energy	Off Peak	25	410	410	4920	
HFM	NYISO	NYISO.PORT_JEFF_3_month_on_dac	PORT_JEFF_3	Generator	DA Cong. + Energy	On Peak	25	125	125	1500	
HFN	NYISO	NYISO.PORT_JEFF_3_month_off_dac	PORT_JEFF_3	Generator	DA Cong. + Energy	Off Peak	25	125	125	1500	
HFO	NYISO	NYISO.RAVENSWOOD___1_month_on_dac	RAVENSWOOD___1	Generator	DA Cong. + Energy	On Peak	25	656	656	7872	197
HFP	NYISO	NYISO.RAVENSWOOD___1_month_off_dac	RAVENSWOOD___1	Generator	DA Cong. + Energy	Off Peak	25	656	656	7872	196
HFQ	NYISO	NYISO.RAVENSWOOD___2_month_on_dac	RAVENSWOOD___2	Generator	DA Cong. + Energy	On Peak	25	656	656	7872	197
HFR	NYISO	NYISO.RAVENSWOOD___2_month_off_dac	RAVENSWOOD___2	Generator	DA Cong. + Energy	Off Peak	25	656	656	7872	196
HFS	NYISO	NYISO.RAVENSWOOD___3_month_on_dac	RAVENSWOOD___3	Generator	DA Cong. + Energy	On Peak	25	656	656	7872	197
HFT	NYISO	NYISO.RAVENSWOOD___3_month_off_dac	RAVENSWOOD___3	Generator	DA Cong. + Energy	Off Peak	25	656	656	7872	196
HFU	NYISO	NYISO.RAVENSWOOD___4_month_on_dac	RAVENSWOOD___4	Generator	DA Cong. + Energy	On Peak	25	656	656	7872	197
HFV	NYISO	NYISO.RAVENSWOOD___4_month_off_dac	RAVENSWOOD___4	Generator	DA Cong. + Energy	Off Peak	25	656	656	7872	196
HFW	NYISO	NYISO.RENSSELAER___COGEN_month_on_dac	RENSSELAER___COGEN	Generator	DA Cong. + Energy	On Peak	25	26	26	312	
HFX	NYISO	NYISO.RENSSELAER___COGEN_month_off_dac	RENSSELAER___COGEN	Generator	DA Cong. + Energy	Off Peak	25	26	26	312	
HFY	NYISO	NYISO.ROSETON___1_month_on_dac	ROSETON___1	Generator	DA Cong. + Energy	On Peak	25	311	311	3732	
HFZ	NYISO	NYISO.ROSETON___1_month_off_dac	ROSETON___1	Generator	DA Cong. + Energy	Off Peak	25	311	311	3732	
HGA	NYISO	NYISO.SELKIRK___I_month_on_dac	SELKIRK___I	Generator	DA Cong. + Energy	On Peak	25	112	112	1344	
HGB	NYISO	NYISO.SELKIRK___I_month_off_dac	SELKIRK___I	Generator	DA Cong. + Energy	Off Peak	25	112	112	1344	
HGC	NYISO	NYISO.SITHE___INDEPEND_month_on_dac	SITHE___INDEPEND	Generator	DA Cong. + Energy	On Peak	25	272	272	3264	
HGD	NYISO	NYISO.SITHE___INDEPEND_month_off_dac	SITHE___INDEPEND	Generator	DA Cong. + Energy	Off Peak	25	272	272	3264	
HGE	NYISO	NYISO.SITHE___MASSENA_month_on_dac	SITHE___MASSENA	Generator	DA Cong. + Energy	On Peak	25	26	26	312	
HGF	NYISO	NYISO.SITHE___MASSENA_month_off_dac	SITHE___MASSENA	Generator	DA Cong. + Energy	Off Peak	25	26	26	312	
HGG	NYISO	NYISO.ST LAWRENCE___month_on_dac	ST LAWRENCE___	Generator	DA Cong. + Energy	On Peak	25	272	272	3264	
HGH	NYISO	NYISO.ST LAWRENCE___month_off_dac	ST LAWRENCE___	Generator	DA Cong. + Energy	Off Peak	25	272	272	3264	
HGI	NYISO	NYISO.STEEL___WIND_month_on_dac	STEEL___WIND	Generator	DA Cong. + Energy	On Peak	25	5	5	60	
HGJ	NYISO	NYISO.STEEL___WIND_month_off_dac	STEEL___WIND	Generator	DA Cong. + Energy	Off Peak	25	5	5	60	
HGK	NYISO	NYISO.UPPER RAQUET___HYD_month_on_dac	UPPER RAQUET___HYD	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
HGL	NYISO	NYISO.UPPER RAQUET___HYD_month_off_dac	UPPER RAQUET___HYD	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	
HGM	NYISO	NYISO.WADING RIVER_IC_1_month_on_dac	WADING RIVER_IC_1	Generator	DA Cong. + Energy	On Peak	25	60	60	720	
HGN	NYISO	NYISO.WADING RIVER_IC_1_month_off_dac	WADING RIVER_IC_1	Generator	DA Cong. + Energy	Off Peak	25	60	60	720	
HGO	NYISO	NYISO.WEST_month_on_dac	WEST	Main Hub	DA Cong. + Energy	On Peak	25	3629 3810	3629 3810	42363 45720	231
HGP	NYISO	NYISO.WEST_month_off_dac	WEST	Main Hub	DA Cong. + Energy	Off Peak	25	4026 1051	4026 1051	42308 12612	230