

Nodal Exchange, LLC Rulebook Appendix C: Reporting Levels, Accountability Levels and Position Limits

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
FOW	CAISO	CAISO.DLAP_PGAE-APND_month_on_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	On Peak	25	3261	3261	39132	78
FOX	CAISO	CAISO.DLAP_PGAE-APND_month_off_dap	DLAP_PGAE-APND	Zone	Day Ahead Power	Off Peak	25	2705	2705	32460	77
FOY	CAISO	CAISO.DLAP_SCE-APND_month_on_dap	DLAP_SCE-APND	Zone	Day Ahead Power	On Peak	25	3303	3303	39636	80
FOZ	CAISO	CAISO.DLAP_SCE-APND_month_off_dap	DLAP_SCE-APND	Zone	Day Ahead Power	Off Peak	25	2629	2629	31548	79
FPA	CAISO	CAISO.DLAP_SDGE-APND_month_on_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	On Peak	25	669	669	8028	82
FPB	CAISO	CAISO.DLAP_SDGE-APND_month_off_dap	DLAP_SDGE-APND	Zone	Day Ahead Power	Off Peak	25	515	515	6180	81
FQA	CAISO	CAISO.PALOVPRDE_ASR-APND_month_on_dap	PALOVPRDE_ASR-APND	Interface	Day Ahead Power	On Peak	25	832	832	9984	181
FQB	CAISO	CAISO.PALOVPRDE_ASR-APND_month_off_dap	PALOVPRDE_ASR-APND	Interface	Day Ahead Power	Off Peak	25	832	832	9984	180
FQU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	On Peak	25	4707	4707	56484	215
FQV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dap	TH_NP15_GEN-APND	Hub	Day Ahead Power	Off Peak	25	3961	3961	47532	214
FQW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	On Peak	25	6934	6934	83208	217
FQX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dap	TH_SP15_GEN-APND	Main Hub	Day Ahead Power	Off Peak	25	6070	6070	72840	216
FQY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	On Peak	25	588	588	7056	219
FQZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dap	TH_ZP26_GEN-APND	Hub	Day Ahead Power	Off Peak	25	495	495	5940	218
HKU	CAISO	CAISO.TH_NP15_GEN-APND_month_on_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	4707	4707	56484	215
HKV	CAISO	CAISO.TH_NP15_GEN-APND_month_off_dac	TH_NP15_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	3961	3961	47532	214
HKW	CAISO	CAISO.TH_SP15_GEN-APND_month_on_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	On Peak	25	6934	6934	83208	217
HKX	CAISO	CAISO.TH_SP15_GEN-APND_month_off_dac	TH_SP15_GEN-APND	Main Hub	DA Cong. + Energy	Off Peak	25	6070	6070	72840	216
HKY	CAISO	CAISO.TH_ZP26_GEN-APND_month_on_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	On Peak	25	588	588	7056	219
HKZ	CAISO	CAISO.TH_ZP26_GEN-APND_month_off_dac	TH_ZP26_GEN-APND	Hub	DA Cong. + Energy	Off Peak	25	495	495	5940	218
HLA	CAISO	CAISO.DLAP_PGAE-APND_month_on_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	On Peak	25	3261	3261	39132	78
HLB	CAISO	CAISO.DLAP_PGAE-APND_month_off_dac	DLAP_PGAE-APND	Zone	DA Cong. + Energy	Off Peak	25	2705	2705	32460	77
HLC	CAISO	CAISO.DLAP_SCE-APND_month_on_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	On Peak	25	3303	3303	39636	80
HLD	CAISO	CAISO.DLAP_SCE-APND_month_off_dac	DLAP_SCE-APND	Zone	DA Cong. + Energy	Off Peak	25	2629	2629	31548	79
HLE	CAISO	CAISO.DLAP_SDGE-APND_month_on_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	On Peak	25	669	669	8028	82
HLF	CAISO	CAISO.DLAP_SDGE-APND_month_off_dac	DLAP_SDGE-APND	Zone	DA Cong. + Energy	Off Peak	25	515	515	6180	81
HLG	CAISO	CAISO.CAPTJACK_5_N015_month_on_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	On Peak	25	957	957	11484	
HLH	CAISO	CAISO.CAPTJACK_5_N015_month_off_dac	CAPTJACK_5_N015	Interface	DA Cong. + Energy	Off Peak	25	957	957	11484	
HLI	CAISO	CAISO.DEVERS_2_B2_month_on_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	On Peak	25	742	742	8904	
HLJ	CAISO	CAISO.DEVERS_2_B2_month_off_dac	DEVERS_2_B2	Interface	DA Cong. + Energy	Off Peak	25	742	742	8904	
HLM	CAISO	CAISO.IMPRVLVLY_2_B2_month_on_dac	IMPRVLVLY_2_B2	Interface	DA Cong. + Energy	On Peak	25	907	907	10884	
HLN	CAISO	CAISO.IMPRVLVLY_2_B2_month_off_dac	IMPRVLVLY_2_B2	Interface	DA Cong. + Energy	Off Peak	25	907	907	10884	
HLO	CAISO	CAISO.INTERM1G_7_N501_month_on_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	On Peak	25	182	182	2184	
HLP	CAISO	CAISO.INTERM1G_7_N501_month_off_dac	INTERM1G_7_N501	Interface	DA Cong. + Energy	Off Peak	25	182	182	2184	
HLQ	CAISO	CAISO.MALIN_5_N101_month_on_dac	MALIN_5_N101	Interface	DA Cong. + Energy	On Peak	25	767	767	9204	
HLR	CAISO	CAISO.MALIN_5_N101_month_off_dac	MALIN_5_N101	Interface	DA Cong. + Energy	Off Peak	25	767	767	9204	
HLS	CAISO	CAISO.MARKETPL_5_N501_month_on_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	On Peak	25	151	151	1812	
HLT	CAISO	CAISO.MARKETPL_5_N501_month_off_dac	MARKETPL_5_N501	Interface	DA Cong. + Energy	Off Peak	25	151	151	1812	
HLU	CAISO	CAISO.MEADS_2_N101_month_on_dac	MEADS_2_N101	Interface	DA Cong. + Energy	On Peak	25	465	465	5580	
HLV	CAISO	CAISO.MEADS_2_N101_month_off_dac	MEADS_2_N101	Interface	DA Cong. + Energy	Off Peak	25	465	465	5580	
HLY	CAISO	CAISO.MIDWAY_5_B1_month_on_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	On Peak	25	2268	2268	27216	
HLZ	CAISO	CAISO.MIDWAY_5_B1_month_off_dac	MIDWAY_5_B1	Interface	DA Cong. + Energy	Off Peak	25	2268	2268	27216	
HMA	CAISO	CAISO.MISSION_2_N035_month_on_dac	MISSION_2_N035	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HMB	CAISO	CAISO.MISSION_2_N035_month_off_dac	MISSION_2_N035	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
GMW	MISO_RT O	MISO_RTO.ALTW.DAEC_month_on_dac	ALTW.DAEC	Generator	DA Cong. + Energy	On Peak	25	139	139	1668	
GMX	MISO_RT O	MISO_RTO.ALTW.DAEC_month_off_dac	ALTW.DAEC	Generator	DA Cong. + Energy	Off Peak	25	139	139	1668	
GMY	MISO_RT O	MISO_RTO.AMMO.LABADIE1_month_on_dac	AMMO.LABADIE1	Generator	DA Cong. + Energy	On Peak	25	632	632	7584	
GMZ	MISO_RT O	MISO_RTO.AMMO.LABADIE1_month_off_dac	AMMO.LABADIE1	Generator	DA Cong. + Energy	Off Peak	25	632	632	7584	
GNA	MISO_RT O	MISO_RTO.AMIL.NEWTON21_month_on_dac	AMIL.NEWTON21	Generator	DA Cong. + Energy	On Peak	25	315	315	3780	
GNB	MISO_RT O	MISO_RTO.AMIL.NEWTON21_month_off_dac	AMIL.NEWTON21	Generator	DA Cong. + Energy	Off Peak	25	315	315	3780	
GNC	MISO_RT O	MISO_RTO.WEC.OKCGC7_month_on_dac	WEC.OKCGC7	Generator	DA Cong. + Energy	On Peak	25	219	219	2628	
GND	MISO_RT O	MISO_RTO.WEC.OKCGC7_month_off_dac	WEC.OKCGC7	Generator	DA Cong. + Energy	Off Peak	25	219	219	2628	
GNE	MISO_RT O	MISO_RTO.AMMO.RUSHIS1_month_on_dac	AMMO.RUSHIS1	Generator	DA Cong. + Energy	On Peak	25	318	318	3816	
GNF	MISO_RT O	MISO_RTO.AMMO.RUSHIS1_month_off_dac	AMMO.RUSHIS1	Generator	DA Cong. + Energy	Off Peak	25	318	318	3816	
GNG	MISO_RT O	MISO_RTO.NIPS.SCHAHP18_month_on_dac	NIPS.SCHAHP18	Generator	DA Cong. + Energy	On Peak	25	406	406	4872	
GNH	MISO_RT O	MISO_RTO.NIPS.SCHAHP18_month_off_dac	NIPS.SCHAHP18	Generator	DA Cong. + Energy	Off Peak	25	406	406	4872	
GNI	MISO_RT O	MISO_RTO.ALTW.OTTUMW1_month_on_dac	ALTW.OTTUMW1	Generator	DA Cong. + Energy	On Peak	25	191	191	2292	
GNJ	MISO_RT O	MISO_RTO.ALTW.OTTUMW1_month_off_dac	ALTW.OTTUMW1	Generator	DA Cong. + Energy	Off Peak	25	191	191	2292	
GNK	MISO_RT O	MISO_RTO.AMIL.CLINTO51_month_on_dac	AMIL.CLINTO51	Generator	DA Cong. + Energy	On Peak	25	264	264	3168	
GNL	MISO_RT O	MISO_RTO.AMIL.CLINTO51_month_off_dac	AMIL.CLINTO51	Generator	DA Cong. + Energy	Off Peak	25	264	264	3168	
GNM	MISO_RT O	MISO_RTO.NSP.OTP_month_on_dac	NSP.OTP	Subzone	DA Cong. + Energy	On Peak	25	1594	1594	19128	177
GNN	MISO_RT O	MISO_RTO.NSP.OTP_month_off_dac	NSP.OTP	Subzone	DA Cong. + Energy	Off Peak	25	1316	1316	15792	176
GNO	MISO_RT O	MISO_RTO.WEC.PLPRG41_month_on_dac	WEC.PLPRG41	Generator	DA Cong. + Energy	On Peak	25	154	154	1848	
GNP	MISO_RT O	MISO_RTO.WEC.PLPRG41_month_off_dac	WEC.PLPRG41	Generator	DA Cong. + Energy	Off Peak	25	154	154	1848	
GNQ	MISO_RT O	MISO_RTO.WEC.PTBHGB1_month_on_dac	WEC.PTBHGB1	Generator	DA Cong. + Energy	On Peak	25	296	296	3552	229
GNR	MISO_RT O	MISO_RTO.WEC.PTBHGB1_month_off_dac	WEC.PTBHGB1	Generator	DA Cong. + Energy	Off Peak	25	296	296	3552	228
GNS	MISO_RT O	MISO_RTO.IPL.16PETEE3_month_on_dac	IPL.16PETEE3	Generator	DA Cong. + Energy	On Peak	25	131	131	1572	
GNT	MISO_RT O	MISO_RTO.IPL.16PETEE3_month_off_dac	IPL.16PETEE3	Generator	DA Cong. + Energy	Off Peak	25	131	131	1572	
GNU	MISO_RT O	MISO_RTO.IPL.16STOU7O7_month_on_dac	IPL.16STOU7O7	Generator	DA Cong. + Energy	On Peak	25	131	131	1572	
GNV	MISO_RT O	MISO_RTO.IPL.16STOU7O7_month_off_dac	IPL.16STOU7O7	Generator	DA Cong. + Energy	Off Peak	25	131	131	1572	
GNW	MISO_RT O	MISO_RTO.SIGE.10ABBG1_month_on_dac	SIGE.10ABBG1	Generator	DA Cong. + Energy	On Peak	25	125	125	1500	
GNX	MISO_RT O	MISO_RTO.SIGE.10ABBG1_month_off_dac	SIGE.10ABBG1	Generator	DA Cong. + Energy	Off Peak	25	125	125	1500	
GNY	MISO_RT O	MISO_RTO.AMIL.IP_month_on_dac	AMIL.IP	Subzone	DA Cong. + Energy	On Peak	25	1666	1666	19992	31
GNZ	MISO_RT O	MISO_RTO.AMIL.IP_month_off_dac	AMIL.IP	Subzone	DA Cong. + Energy	Off Peak	25	1375	1375	16500	30

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
GQK	MISO_RT O	MISO_RTO.PJMC_month_on_dac	PJMC	Interface	DA Cong. + Energy	On Peak	25	1554	1554	18648	286
GQL	MISO_RT O	MISO_RTO.PJMC_month_off_dac	PJMC	Interface	DA Cong. + Energy	Off Peak	25	1554	1554	18648	290
GQM	MISO_RT O	MISO_RTO.NIPS.NIPS_month_on_dac	NIPS.NIPS	Zone	DA Cong. + Energy	On Peak	25	516	516	6192	171
GQN	MISO_RT O	MISO_RTO.NIPS.NIPS_month_off_dac	NIPS.NIPS	Zone	DA Cong. + Energy	Off Peak	25	426	426	5112	170
GQQ	MISO_RT O	MISO_RTO.SIGE.SIGW_month_on_dac	SIGE.SIGW	Zone	DA Cong. + Energy	On Peak	25	218	218	2616	
GQR	MISO_RT O	MISO_RTO.SIGE.SIGW_month_off_dac	SIGE.SIGW	Zone	DA Cong. + Energy	Off Peak	25	180	180	2160	
GQS	MISO_RT O	MISO_RTO.SIPC.MARI69_month_on_dac	SIPC.MARI69	Generator	DA Cong. + Energy	On Peak	25	28	28	336	
GQT	MISO_RT O	MISO_RTO.SIPC.MARI69_month_off_dac	SIPC.MARI69	Generator	DA Cong. + Energy	Off Peak	25	28	28	336	
GQU	MISO_RT O	MISO_RTO.SMP.SMP_month_on_dac	SMP.SMP	Zone	DA Cong. + Energy	On Peak	25	106	106	1272	
GQV	MISO_RT O	MISO_RTO.SMP.SMP_month_off_dac	SMP.SMP	Zone	DA Cong. + Energy	Off Peak	25	87	87	1044	
GQW	MISO_RT O	MISO_RTO.WEC.PLEASA142_month_on_dac	WEC.PLEASA142	Generator	DA Cong. + Energy	On Peak	25	154	154	1848	
GQX	MISO_RT O	MISO_RTO.WEC.PLEASA142_month_off_dac	WEC.PLEASA142	Generator	DA Cong. + Energy	Off Peak	25	154	154	1848	
GQY	MISO_RT O	MISO_RTO.WR.MOWR_month_on_dac	WR.MOWR	Subzone	DA Cong. + Energy	On Peak	25	905	905	10860	
GQZ	MISO_RT O	MISO_RTO.WR.MOWR_month_off_dac	WR.MOWR	Subzone	DA Cong. + Energy	Off Peak	25	747	747	8964	
GRU	MISO_RT O	MISO_RTO.AECI_month_on_dac	AECI	Interface	DA Cong. + Energy	On Peak	25	100	100	1200	
GRV	MISO_RT O	MISO_RTO.AECI_month_off_dac	AECI	Interface	DA Cong. + Energy	Off Peak	25	100	100	1200	
GRW	MISO_RT O	MISO_RTO.AMIL.CC.GDTWR2_month_on_dac	AMIL.CC.GDTWR2	Generator	DA Cong. + Energy	On Peak	25	69	69	828	
GRX	MISO_RT O	MISO_RTO.AMIL.CC.GDTWR2_month_off_dac	AMIL.CC.GDTWR2	Generator	DA Cong. + Energy	Off Peak	25	69	69	828	
GRY	MISO_RT O	MISO_RTO.AMIL.EDWARDS3_month_on_dac	AMIL.EDWARDS3	Generator	DA Cong. + Energy	On Peak	25	186	186	2232	
GRZ	MISO_RT O	MISO_RTO.AMIL.EDWARDS3_month_off_dac	AMIL.EDWARDS3	Generator	DA Cong. + Energy	Off Peak	25	186	186	2232	
GSA	MISO_RT O	MISO_RTO.EEI_month_on_dac	EEI	Interface	DA Cong. + Energy	On Peak	25	278	278	3336	
GSB	MISO_RT O	MISO_RTO.EEI_month_off_dac	EEI	Interface	DA Cong. + Energy	Off Peak	25	278	278	3336	
GSE	MISO_RT O	MISO_RTO.SOCO_month_on_dac	SOCO	Interface	DA Cong. + Energy	On Peak	25	66	66	792	
GSF	MISO_RT O	MISO_RTO.SOCO_month_off_dac	SOCO	Interface	DA Cong. + Energy	Off Peak	25	66	66	792	
GSG	MISO_RT O	MISO_RTO.AMIL.HENNEPN81_month_on_dac	AMIL.HENNEPN81	Generator	DA Cong. + Energy	On Peak	25	73	73	876	
GSH	MISO_RT O	MISO_RTO.AMIL.HENNEPN81_month_off_dac	AMIL.HENNEPN81	Generator	DA Cong. + Energy	Off Peak	25	73	73	876	
GSK	MISO_RT O	MISO_RTO.ALTW.LOSTLAKES_month_on_dac	ALTW.LOSTLAKES	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
GSL	MISO_RT O	MISO_RTO.ALTW.LOSTLAKES_month_off_dac	ALTW.LOSTLAKES	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	
GSM	MISO_RT O	MISO_RTO.AMIL.RSPWIND_month_on_dac	AMIL.RSPWIND	Generator	DA Cong. + Energy	On Peak	25	25	25	300	
GSN	MISO_RT O	MISO_RTO.AMIL.RSPWIND_month_off_dac	AMIL.RSPWIND	Generator	DA Cong. + Energy	Off Peak	25	25	25	300	

Physical Commodity Code	ISO	Contract Name	Location	Node Type	Commodity	Class	Reporting Level***	Spot Month Position Limit (lots)	Single Month Accountability Level (lots)	All Month Accountability Level (lots)	Aggregation Group*
GUY	MISO_RT O	MISO_RTO.DECO.MONROE1_month_on_dac	DECO.MONROE1	Generator	DA Cong. + Energy	On Peak	25	780	780	9360	
GUZ	MISO_RT O	MISO_RTO.DECO.MONROE1_month_off_dac	DECO.MONROE1	Generator	DA Cong. + Energy	Off Peak	25	780	780	9360	
GVA	MISO_RT O	MISO_RTO.NIPS.BAILLP7_month_on_dac	NIPS.BAILLP7	Generator	DA Cong. + Energy	On Peak	25	128	128	1536	
GVB	MISO_RT O	MISO_RTO.NIPS.BAILLP7_month_off_dac	NIPS.BAILLP7	Generator	DA Cong. + Energy	Off Peak	25	128	128	1536	
GVC	MISO_RT O	MISO_RTO.NIPS.BENTONCO_month_on_dac	NIPS.BENTONCO	Subzone	DA Cong. + Energy	On Peak	25	516	516	6192	171
GVD	MISO_RT O	MISO_RTO.NIPS.BENTONCO_month_off_dac	NIPS.BENTONCO	Subzone	DA Cong. + Energy	Off Peak	25	426	426	5112	170
GVE	MISO_RT O	MISO_RTO.SIGE.FOWLR_month_on_dac	SIGE.FOWLR	Generator	DA Cong. + Energy	On Peak	25	150	150	1800	
GVF	MISO_RT O	MISO_RTO.SIGE.FOWLR_month_off_dac	SIGE.FOWLR	Generator	DA Cong. + Energy	Off Peak	25	150	150	1800	
GVG	MISO_RT O	MISO_RTO.TVA.WHITEOAK_month_on_dac	TVA.WHITEOAK	Generator	DA Cong. + Energy	On Peak	25	38	38	456	
GVH	MISO_RT O	MISO_RTO.TVA.WHITEOAK_month_off_dac	TVA.WHITEOAK	Generator	DA Cong. + Energy	Off Peak	25	38	38	456	
GVI	MISO_RT O	MISO_RTO.AMIL.HAVANA86_month_on_dac	AMIL.HAVANA86	Generator	DA Cong. + Energy	On Peak	25	115	115	1380	
GVJ	MISO_RT O	MISO_RTO.AMIL.HAVANA86_month_off_dac	AMIL.HAVANA86	Generator	DA Cong. + Energy	Off Peak	25	115	115	1380	
GYS	MISO_RT O	MISO_RTO.AMMO.SIOUX1_month_on_dac	AMMO.SIOUX1	Generator	DA Cong. + Energy	On Peak	25	259	259	3108	
GYT	MISO_RT O	MISO_RTO.AMMO.SIOUX1_month_off_dac	AMMO.SIOUX1	Generator	DA Cong. + Energy	Off Peak	25	259	259	3108	
GYU	MISO_RT O	MISO_RTO.AMMO.MERAMECT1_month_on_dac	AMMO.MERAMECT1	Generator	DA Cong. + Energy	On Peak	25	27	27	324	
GYV	MISO_RT O	MISO_RTO.AMMO.MERAMECT1_month_off_dac	AMMO.MERAMECT1	Generator	DA Cong. + Energy	Off Peak	25	27	27	324	
HJY	MISO_RT O	MISO_RTO.AMMO.GOOSEGEN1_month_on_dac	AMMO.GOOSEGEN1	Generator	DA Cong. + Energy	On Peak	25	113	113	1356	
HJZ	MISO_RT O	MISO_RTO.AMMO.GOOSEGEN1_month_off_dac	AMMO.GOOSEGEN1	Generator	DA Cong. + Energy	Off Peak	25	113	113	1356	
HKC	MISO_RT O	MISO_RTO.AMIL.STWF_month_on_dac	AMIL.STWF	Generator	DA Cong. + Energy	On Peak	25	38	38	456	
HKD	MISO_RT O	MISO_RTO.AMIL.STWF_month_off_dac	AMIL.STWF	Generator	DA Cong. + Energy	Off Peak	25	38	38	456	
HKG	MISO_RT O	MISO_RTO.NIPS.IMPA_1.AZ_month_on_dac	NIPS.IMPA_1.AZ	Subzone	DA Cong. + Energy	On Peak	25	516	516	6192	171
HKH	MISO_RT O	MISO_RTO.NIPS.IMPA_1.AZ_month_off_dac	NIPS.IMPA_1.AZ	Subzone	DA Cong. + Energy	Off Peak	25	426	426	5112	170
HKK	MISO_RT O	MISO_RTO.NIPS.NORWAPNOR_month_on_dac	NIPS.NORWAPNOR	Generator	DA Cong. + Energy	On Peak	25	1	1	12	
HKL	MISO_RT O	MISO_RTO.NIPS.NORWAPNOR_month_off_dac	NIPS.NORWAPNOR	Generator	DA Cong. + Energy	Off Peak	25	1	1	12	
HKO	MISO_RT O	MISO_RTO.NIPS.OAKDAPOAK_month_on_dac	NIPS.OAKDAPOAK	Generator	DA Cong. + Energy	On Peak	25	2	2	24	
HKP	MISO_RT O	MISO_RTO.NIPS.OAKDAPOAK_month_off_dac	NIPS.OAKDAPOAK	Generator	DA Cong. + Energy	Off Peak	25	2	2	24	
HRI	MISO_RT O	MISO_RTO.AMIL.BALDWI52_month_on_dac	AMIL.BALDWI52	Generator	DA Cong. + Energy	On Peak	25	440	440	5280	33
HRJ	MISO_RT O	MISO_RTO.AMIL.BALDWI52_month_off_dac	AMIL.BALDWI52	Generator	DA Cong. + Energy	Off Peak	25	440	440	5280	32
HRK	MISO_RT O	MISO_RTO.AMIL.BALDWI53_month_on_dac	AMIL.BALDWI53	Generator	DA Cong. + Energy	On Peak	25	440	440	5280	33
HRL	MISO_RT O	MISO_RTO.AMIL.BALDWI53_month_off_dac	AMIL.BALDWI53	Generator	DA Cong. + Energy	Off Peak	25	440	440	5280	32